

D241 / Multi-Use Studio | Help Sheet

Instructions on how to use the **D241** / **Multi-Use Studio** cart's computer, a/v equipment, connected cables, etc.

1 PROJECTOR (Epson PowerLite 1288)

- **Projector:** The **projector** is located on the cart's middle shelf with its lens facing the back
 - To turn on the projector, press the POWER (ON/OFF) button of the remote
 - To turn off the projector, press the POWER (ON/OFF) button of the remote
 - Please remember to **turn off** the projector after your presentation
 - It's best to point the remote at the projector directly when turning the projector ON/OFF
 - If needed, press the remote's **SOURCE SEARCH** button to prompt the projector to automatically find & connect to the Mac mini via **HDMI 1**








Switcher:

- The **Switcher** connects the cart's **Mac mini** (Channel 1 / HDMI Input 1) or a **Laptop** (Channel 2 / HDMI Input 2) to the **Projector** (HDMI Output) & allows for easy changing between them by pressing the **Channel button (CH)**
- The **Switcher's** also converts & outputs audio from the selected **Mac mini** or **Laptop** to the **Logitech computer speakers** via a **1/8" output/cable**.



Speakers | Logitech Computer Speakers

Speakers: When the Logitech Speakers are turned off the POWER LED Indicator is blank


To **turn on** the **Logitech Speakers**, turn the **POWER/VOLUME** dial on the right speaker all of the way clockwise (the **LED Indicator** turns **on**) and set them to the desired volume


Please note, the **Logitech Speakers** are powered via a **Power Adapter** & connects to the **HDMI Switcher's** (WS_E21) Headphone output via 1/8" stereo mini audio cable




POWER/VOLUME dial

Turn the **POWER/VOLUME dial** all of way clockwise to **turn on** the speakers and set them to the desired volume Please note that because the sound is output from the **HDMI Switcher (WS_E21)**, you must adjust the volume with the speaker's **POWER/VOLUME** dial










System Settings | Mac mini (computer)


Check: VIDEO: € > System Settings > Display > VA2747 100Hz (Mirror/Optimize for VA2747)





INTERNET: **★** > System Settings > Network > Ethernet (Connected)






6 External DVD Player

- The External DVD Player is installed vertically on the side of the Mac mini (computer) and connects to it via USB-A cable (see 3 Check Cable Connections)
- To open the External DVD Player's Disc Tray, press the EJECT button
 - When the Disc Tray opens (pops out), carefully place the DVD disc onto it
 - After placing the DVD disc onto the Disc Tray, close the External DVD Player by gently pushing the Disc Tray back into the device



- The **External DVD Player** will load the DVD and automatically open the "Viewer" window of **DVD Player**, a software application on the Mac mini
 - If the DVD disc doesn't play automatically, press the Space bar after the disc is recognized
 - Move the pointer anywhere over the "Viewer" window to show the playback controls ~ e.g. click play button to start the DVD's video, click menu button to access the DVD's menu, etc.
 - When finished watching the DVD, close DVD Player and move the DVD's icon on the desktop into the trash to eject the disc from the External DVD Player



- To manually eject and retrieve the DVD disc from the **External DVD Player**, press the **EJECT** button to **open** the **Disc Tray**
 - When the **Disc Tray** opens (pops out), carefully remove the DVD disc
 - After removing the DVD disc from the Disc Tray, close the
 External DVD Player by gently pushing the Disc Tray back into the device